

NEW ZEALAND SLOT CAR  
ASSOCIATION INC.



## 2010 New Zealand Endurance Race

### Wellington

**Saturday 27<sup>th</sup> March 2010**

**15 hours of none stop hard racing with 3 hours of night driving, 6 teams.**

**Race Length:** 15 hours total, the only time that the track will be switch off will be at the time of changing lanes.

Each team will race for a total of 2 ½ hours on each of the six lanes, changing lanes and driver at 30 minute intervals, (driver must race for 30 minutes, drive change at time of lane change), this will give each team five runs on each lane.

At the time of changing lanes the power will be switched off for 30 seconds, it will be the teams responsibility to change there car to the correct lane with the appropriate coloured sticker in place, teams may work on there cars in this period.

If the track has to be turned off for repairs then the cars must stay on the track where they stopped and no work may be carried out on them, if the car is being worked on in the pits then work must stop.

Any time lost through track repairs will not be made up; the 15 hour will be from the start to power off 15 hours later.

<b>Program:</b>	<b>Friday 26<sup>th</sup> March</b>	<b>Practice;</b>	Noon to 10.00pm. Local racers from 6.00pm
	<b>Saturday 27<sup>th</sup> March</b>	<b>Scrutineering;</b>	7.30am
		<b>Lane Choice;</b>	7.45am
		<b>Race;</b>	Start time 8.00am finish at 11.00pm.
		<b>Night Racing;</b>	From 6.00pm to 9.00pm.
	<b>Sunday 28<sup>th</sup> March</b>	<b>Prize Giving;</b>	Sunday 9.00am Prize Giving and breakfast at a suitable venue.

**Teams:** Each team must have minimum of 4 to a maximum of 6 Drivers, they also may have one other non racing member as pit crew, each team will need to make their own arrangements for food and refreshments as there will be no catering done by the host club.

The following six teams and racers have entered.

<b>Team Kiwi, 111:</b>	Tim Moody, Simon Moody, Chris Parks, Steve Murrey, Murray Crawford, Victor Burién
<b>NPSR Dragons:</b>	Chris Wong, Alan Lee, Mark Burgees, John Warren, Mike Doo,
<b>Wellington A:</b>	Chris Dillon, Allan Tucker, Keith Cheeseman, Ron Thornton, Gill Andrews, Paul deLatour.
<b>Nelson:</b>	Paul Heath (Split), Kieran Dale, John Crothers, Paul Caplan,
<b>Christchurch:</b>	Barry Toomey, Adam Brice, Barry Milicich, Kerry Radford, John Hawkins,
<b>Dunheim:</b>	Graeme Mitchell, Garry Ferguson, Graeme Saxton, Neil Bidwell, Nigel Boyce, Anthony Schroder.

There is no restriction on the amount of time a driver must race except in the night driving stint each driver must drive a minimum of one 30 minute stint in the hours of complete darkness.

Each team will be allocated a corner to marshal for the full race except for the inside corner of the track which will have a team roster.

**Night Driving:** The lights will be gradually turned down from 5.45pm to 6.00 pm, then 3 hours of darkness, the only lights that may be on are pit lights only for the purpose of working on the car, teams may use torches for changing lanes and finding their car on the floor, then the lights will gradually be turned up from 9.00pm to 9.15pm when the lights will be back on full.

The car lights, a minimum of two clear front and two red rears must be turned on for the 3 hour period of darkness, if the minimum number of lights fail then they must stop and fix them.

**Track Calls:** There will be no track calls as the computer will not be manned full time, if a car lands on the floor then it is the teams problem to retrieve it the best way it can, for riders it will be the drivers responsibility to yell out  *rider* and the other drivers to stop. Its all part of endurance racing.

**Scrutineering:** Prior to qualifying, cars will be presented for scrutineering with the body off, once the body has been attached and scrutineering is done, the car will be impounded in parc ferme.

At the completion of the race cars will be returned to parc ferme and may be re-scrutineered, this may involve motors being stripped down for inspection. Cars must remain in parc ferme until all placings have been confirmed.

Both the chassis centre section and the pans will be uniquely identified at the time of scrutineering, both parts will be signed by the Scrutineer with an ink pen and the signature covered with clear tap for protection and will be check after the end of the race that it is the same chassis.

**Lane Choice:** Each team is to select one driver and that driver will have one (1) minute on Blue lane to post there fastest single lap, the car will be placed on the track and taken of at the completion of the one minute by the grid marshal and placed back into parc ferme.

The driver's team with the fastest single lap time will have first lane choice, then the second fastest going down to 6<sup>th</sup> fastest.

**Entry Fee:** \$150-00 per team, this will cover the costs of Trophies and track fees to the Wellington Club.

## Car Rules:

### GENERAL CAR SPECIFICATIONS

#### 1. DIMENSIONS

**1.1 Width** - maximum width is 82.5mm [3.25"] excluding body pins

**1.2 Clearance** - minimum clearance is .6mm [.025"] under the rear axle and gear at the start of the race. **The gear shall not protrude below the chassis**

Any car deemed to be at risk of damaging the track during the race as judged by the Chief Steward or his deputy will be immediately black flagged and the car must be rectified immediately by the team.

#### 2. GUIDE FLAG

**2.1 One Guide** - only one guide flag allowed, with a blade not more than 25mm long, the guide may be black or made of graphite for lap counting purposes

**2.2 Spacers nut etc** - guide nut, spacers, clips, lead-wire and earring backs are free

### 3. WHEELS

**3.1 Four visible wheels** - all cars must have a total of four visible wheels when viewed from the two sides, of not less than 12.5mm [*half an inch*] diameter when the body is attached in racing position.

**3.2 Front wheels** – must have two front wheels that rotate on the axle.

**3.3 Front axle** - may solder front axle to front wheel towers.

**3.4 Rear wheels & tires** - Rear tire width may not exceed 20.5mm [*.810"*]

**3.5 Tire Goop** – the use of any tire goop or glue on the rear tires is prohibited. [*Spray glue will be applied to the track from time to time as the race directors see fit*].

### 4. BODY

**4.1 LMP**- HP Toyota TS020, *Part No: HP2011*

Each team will be allowed two (2) bodies, both bodies must be the same model and manufacture and painted as near as possible the same.

**4.2 Paint** - bodies must be fully painted and sufficiently opaque so that no chassis or components can be seen through the body when viewed from above. Windscreens and windows must be left clear. A clear strip may separate the wing from the main body

**4.3 Interior** – all cars must have a 3D painted driver figure, and a sufficiently full interior so that no chassis or components can be seen through the windows

**4.4 Numbers** – all cars must have at least two readable numbers, of the same numeral.

**4.5 Wheel arches** – front wheel arches must be clear, or cut to at least the horizontal centre line of the front wheels. Trimming for front or rear wheel clearance may not extend into the top surface of the body

**4.6 Cover chassis** - The chassis and guide must be completely covered by the body when viewed from above.

**4.7 Trimming & cut outs** - Body shape is to remain as manufactured except for the necessary cut-outs to clear axles and wheels

The front of the body may not be cut so high as to lose the shape and detail of the front

Cutting out the rear of the body is OK on GTP and LMP cars

No other cut outs are allowed except areas normally cut out on full size race cars, [*eg air intakes*]

**4.8 Body Mounting** – Bodies may be fixed to the chassis by any combination of tape, clips or pin tubes. Where pin tubes are used they must be located in the existing body fixing chassis holes.

### 8. CHASSIS

**8.1 Type** – 1/24<sup>th</sup> scale Champion Turbo Flex chassis only with standard pans.

Only one chassis is allowed, chassis maybe repaired, the same centre section and pans must be used for the entire race. It must be uniquely marked to Identify the chassis to be used in the enduro.

**8.2 Front wheels** – must have two front wheels that rotate on the axle.

**8.3 Front axle** - may solder front axle to front wheel towers

**8.4 Gears** – Free

**8.5 Rear axle bearings** - must be brass/bronze, no ball races.

## **9. MOTOR**

**9.1 Set ups** – Parma, Slotworks, RJR, Fastones and Proslot FX S16D cans and magnets permitted. Any S16D end bell permitted. *[This rule specifically excludes new S16D setups like Red Fox and Camen, these may be evaluated for inclusion in the future]*

**9.2 Armatures** – Only standard PARMA S16D arms [the original Chinese arms] or tagged PRO-SLOT S16D arms, [part PS700] permitted. Tag must read S16D, [60 turns of #28 AWG per pole]. Any armature timing is allowed. *[This rule specifically excludes big bruiser arms and narrow crown arms like the RJR/Viper, these may be evaluated for inclusion in the future]*

**9.3 Blueprinting** – motor may be blueprinted. Super glue may be used to secure magnets but magnets may not be shimmed with tape or any shim stock. Magnets may not be honed

**9.4 Motor grooving** – may groove the motor can and magnet to achieve axle clearance

**9.5 Brushes & springs** – brushes & springs may be changed. Brushes cannot be timed, drilled, friction cut or fitted with shunts. Brush hoods must remain standard & in the standard horizontal position

**9.6 Motor Bearings** – the can may be drilled to allow the fitting of a replacement bearing. Any oilite may be fitted to the end bell as long as the end bell is not modified. Can end ball bearings are permitted.

**9.7 Spacers** – spacers may be added to limit armature endplay.

**9.8 No other motor modifications are allowed**